

Products/Ingredients:

This space reserved for special use.

Principle routes or exposure:

Dermal - skin

Eyes

Inhalation

Other:

Acetic Acid released during curing

This product contains Methylpolysiloxanes which can generate Formaldehyde at approximately 300 °F (150°C) and above, in atmospheres which contain oxygen. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard.

4. FIRST AID MEASURES

- Ingestion:** Do not induce vomiting. Slowly dilute with 1-2 glasses of water or milk and seek medical attention. Never give anything by mouth to an unconscious person.
- Skin:** To clean form skin, remove completely with a dry cloth or paper towel, before washing with detergent and water. Get medical attention if irritation persists.
- Inhalation:** Move person to fresh air.
- Eyes:** In case of contact, immediately flush eyes with plenty of water for a least 15 minutes and get Medical attention if irritation persists.
- Note to Physician:** None Known

5. FIRE FIGHTING MEASURES

Flash Point:	NA	(C)NA	(F)
Method:	NA		
Ignition Temp:	UNK	(C)UNK	(F)
Flammable Limits in air - Lower (%):	UNK		
Flammable Limits in air - Upper (%):	UNK		
Sensitivity to Mechanical Impact (Y/N):	No		
Sensitivity to Static Discharge:	Sensitivity to static discharge is not expected.		
Extinguishing Media:	All standard Fire-fighting media		
Special Fire-fighting Procedures:	None Known.		

6. ACCIDENTAL RELEASE MEASURES

Action To Be Taken If Material Is Released Or Spilled:

Wipe, scrape or soak up in any inert material and put in a container for disposal. Wash walking surfaces with detergent and water to reduce slipping hazard. Wear proper protective equipment as specified in the protective equipment section.

7. HANDLING AND STORAGE

Precautions to be taken in handling and storage:

Avoid contact with skin and eyes. (Caution) Remove contact lenses before using sealant. Do not handle lense until all sealant has been cleaned from the fingertips, nails, and cuticles. Residual sealant my remain on fingers for several days and transfer to lenses and cause severe eye irritation. Product releases acetic acid during application and curing. Use mechanical ventilation to stay below TLV or 10 ppm acetic acid. Uncured product contact irritates eye. Uncured product contact may irritate skin. Use in a well ventilated area to prevent irritation by vapors.